

## ASPECTS ASSOCIATED TO LEPROSY RELAPSE

Flávia das Chagas Bezerra de ARAÚJO<sup>1</sup>  
Cristiane Nazaré Pamplona de SOUZA<sup>2</sup>  
Edson Marcos Leal Soares RAMOS<sup>3</sup>  
Roberta Modesto BRAGA<sup>4</sup>

- **ABSTRACT:** *Brazil is the second country with the highest number of leprosy cases in the world and the first in Latin America. The state of Pará has a high prevalence of the disease and such feature justifies this study aims to present factors associated with relapse of leprosy. For this, we used the multiple binary logistic regression technique, through which it was observed that people in the adult/elder phase of life, male gender and multibacillary operational classification is more probability to relapse of leprosy.*
- **KEYWORDS:** *Leprosy; relapse; logistic regression.*

---

<sup>1</sup> Universidade Federal Rural da Amazônia - UFRA, Programa de Pós-graduação em Agronomia, CEP: 66.077-901, Belém, PA, Brasil. Email: [flavia.araujo.ufpa@gmail.com](mailto:flavia.araujo.ufpa@gmail.com).

<sup>2</sup> Universidade Federal da Bahia - UFBA, Programa de Pós-graduação em Matemática, CEP: 40170-110, Salvador, BA, Brasil. Email: [crissouza.ufpa@gmail.com](mailto:crissouza.ufpa@gmail.com).

<sup>3</sup> Universidade Federal do Pará - UFPA, Instituto de Ciências Exatas e Naturais, CEP: 66075-110, Belém, PA, Brasil. Email: [edson@ufpa.br](mailto:edson@ufpa.br).

<sup>4</sup> Universidade Federal do Pará - UFPA, Faculdade de Matemática, CEP: 68745-000, Castanhal, PA, Brasil. Email: [robertabraga@ufpa.br](mailto:robertabraga@ufpa.br)